

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 1  
 Name: **Consolidated Rail Corp., Ashtabula Coal Dock No. 10.**  
 Location: Left bank at mouth of Ashtabula River, Inner Harbor. Datum: LWD  
 Operator: Consolidated Rail Corp.  
 Owner: Consolidated Rail Corp.  
 Address: 645 East 6th Street Phone: 216 992-2274  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Consolidated Rail Corp.: One 2,800-foot surface track along rear of face.  
 Purpose: Shipment of coal; mooring vessels.  
 Depth Alongside (feet): 14 - 27 | | Latitude (decimal):  
 Total Berthing Space (feet): 2800 | | Longitude (decimal):  
 Remarks: Coal loader is served by a 60-, 72-, and 84-inch wide, electric, belt conveyor system extending from conveyor system extending from rotary car dumper located southeast of inner portion of Consolidated Rail Corp. via an arched, overhead conveyor bridge across the Ashtabula River to open coal storage areas located along both sides of the main conveyor belt in rear of wharf, total storage capacity 1,500,000 tons; and to 3 concretilos, total capacity 12,000 tons; and thence via an 84-inch belt-conveyor to coal loader. Storage area is served by an electric, crawler type, bucket-wheel, stacker-reclaimer equipped with nine 1 1/2 buckets, stacking capacity 3,000 tons and reclaiming capacity 3,500 tons per hour; stacker-reclaimer can work simultaneously with rotary car dumper. An 8-track, empty car storage yard serving thawin located along rear of Docks No. 7 and 9 (Refs. Nos. 9 and 10). One 25-cubic yard, diesel, mobile front-end loader, and 4 diesel bulld

---

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 038 Buffalo District

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 5  
 Name: **Consolidated Rail Corp., Ashtabula Dock No. 7.**  
 Location: Inner harbor, right bank, Ashtabula River, approximately 0.5 mile above mouth of river. Datum: LWD  
 Operator: Not operated.  
 Owner: Consolidated Rail Corp.  
 Address: E. 6th Street extended. Phone: 216/964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Consolidated Rail Corp.: Storage yard tracks serving car-thawing shed and rotary dumper located at rear.  
 Purpose: Not used.  
 Depth Alongside (feet): 5 - 13 | | Latitude (decimal):  
 Total Berthing Space (feet): 500 | | Longitude (decimal):  
 Remarks: Rotary rail car coal dumper located southeast of wharf serves electric belt-conveyor extending to Consolidated Rail Corp., Coal Dock No. 10 (P.W.D. Ref. No. 1).

---

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 0-

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 6  
Name: **Consolidated Rail Corp., Ashtabula Dock No. 9.**  
Location: Inner harbor, right bank of Ashtabula River at mouth. Datum: LWD  
Operator: Consolidated Rail Corp.  
Owner: Consolidated Rail Corp.  
Address: 645 E. 6th Street, Ashtabula Phone: 216/992-2274  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Consolidated Rail Corp.: Storage yard tracks located in rear.  
Purpose: Mooring vessels.  
Depth Alongside (feet): 17 - 23 | | Latitude (decimal):  
Total Berthing Space (feet): 2450 | | Longitude (decimal):  
Remarks: □□  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 192 Buffalo District

---

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 11  
Name: **Consolidated Rail Corp., Dock No. 2 Extension.**  
Location: Outer harbor and outer portion of east side of Minnesota Slip. Datum: LWD  
Operator: Consolidated Rail Corp.  
Owner: Consolidated Rail Corp.  
Address: 1149 E 5th Street Phone: 216 992-2274  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Consolidated Rail Corp.: Four marginal surface tracks extend along slip side and continue along north side to join nearby storage yards.  
Purpose: Receipt of iron ore pellets by self-unloading vessels; mooring vessels for repair and maintenance during closed navigation season. (See Remarks.).  
Depth Alongside (feet): 27 | | Latitude (decimal):  
Total Berthing Space (feet): 1198 | | Longitude (decimal):  
Remarks: Concrete, ore storage pit at rear of wharf, capacity 45,000 tons; and open area in rear provides storage for over 1,000,000 tons of iron ore. □ During closed navigation season, vessels moored alongside wharf are fu A.C., 120 volts, single-phase, 60-cycle, or D.C., 220 volts from transformer by special arrangement.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 218 Buffalo District

---

**Port Series No. 42**  
**U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor,  
Lorain, Huron, and Sandusky, OH)**

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 9  
Name: **Great Lakes Towing Co. Dock.**  
Location: Ashtabula River, approximately 200 feet below 5th Street Bridge. Datum: LWD  
Operator: Great Lakes Towing Co.  
Owner: Consolidated Rail Corp.  
Address: Ferry Drive. Phone: 800 621-4533  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Consolidated Rail Corp.: Storage yard tracks located in rear.  
Purpose: Mooring company-owned tugboats.  
Depth Alongside (feet): 20 - 23 | | Latitude (decimal):  
Total Berthing Space (feet): 250 | | Longitude (decimal):  
Remarks: At time of survey, tugboats, 'Iowa' and 'South Dakota', were based at wharf, but are available for service at other Lake Erie locations as required. Fueling is by tank truck.  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72101 Dock Code: 0-

---

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 7  
Name: **Pinney Dock & Transport Co., Ashtabula Dock No. 1 Extension.**  
Location: Outer harbor and outer portion of west side of Minnesota Slip. Datum: LWD  
Operator: Pinney Dock & Transport Co., Inc.  
Owner: Consolidated Rail Corp.  
Address: 1149 E 5th Street Phone: 216/964-7186  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Consolidated Rail Corp.: Four marginal surface tracks extend along slip side and continue along north side to join nearby storage yards.  
Purpose: Receipt of iron ore; by self unloading vessels, mooring vessels for repair and maintenance during closed navigation season. (See Remarks.)  
Depth Alongside (feet): 27 | 17 - 25 | Latitude (decimal):  
Total Berthing Space (feet): 1165 | 1030 | Longitude (decimal):  
Remarks: Concrete, ore storage pit at rear capacity 50,000 tons; and open area in rear provides storage for 1,000,000 tons of iron ore. During closed navigation season, vessels moored alongside wharf are furnished D.C., portable transformer by special arrangement.  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72101 Dock Code: 215 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 13  
 Name: **Pinney Dock & Transport Co., Ashtabula Dock No. 3.**  
 Location: Outer harbor, west side of Slip No. 2, approximately 0.7 mile east of mouth of Ashtabula River. Datum: LWD  
 Operator: Pinney Dock & Transport Co., Inc.  
 Owner: Pinney Dock & Transport Co., Inc.  
 Address: Parkgate Ave. Extended. Phone: 216/964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: Two surface tracks on pier (two 150-foot concrete platform along east side of east track); connect with tracks of Consolidated Rail Corp.  
 Purpose: Receipt of sand, quartz, limestone, and manganese ore by self-unloading vessels.  
 Depth Alongside (feet): 27 | | Latitude (decimal):  
 Total Berthing Space (feet): 2000 | | Longitude (decimal):  
 Remarks: Open storage area is described under Ref. No. 12 Remarks.□□  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 225 Buffalo District

---

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 14  
 Name: **Pinney Dock & Transport Co., Ashtabula Dock No. 4.**  
 Location: Outer harbor, east side of Slip No. 2, approximately 0.7 mile east of mouth of Ashtabula River. Datum: LWD  
 Operator: Pinney Dock & Transport Co., Inc.  
 Owner: Pinney Dock & Transport Co., Inc.  
 Address: Parkgate Ave. extended. Phone: 216/964-7186  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: One 1,600-foot surface track extends along rear of face and serves a 300-foot long concrete platform and one 400-foot ssurface track extends along the west side of transit shed Q-R-S; connect with tracks  
 Purpose: Receipt and shipment of general cargo in foreign and domestic trade; receipt of raw titanium ores, china clay, pig iron, newsprint, lumber, and occasionally scrap iron; and crude rubber.  
 Depth Alongside (feet): 27 | | Latitude (decimal):  
 Total Berthing Space (feet): 2000 | | Longitude (decimal):  
 Remarks: Approximately 5 acres of open storage area available at rear. L-M-N-O-P Transit Shed is used exclusively for storing dry bulk commodities with drying and bagging equipment available. All other transit sheds are public storage warehouses as required.  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 226 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 12  
Name: **Pinney Dock & Transport Co., Ashtabula Docks Nos. 1 and 2.**  
Location: Outer harbor, west and east side of Slip No. 1, approximately 0.7 mile east of mouth of Ashtabula River. Datum: LWD  
Operator: Pinney Dock & Transport Co., Inc.  
Owner: Pinney Dock & Transport Co., Inc.  
Address: 1149 E 5th Street Phone: 216 992-2274  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: One surface track at rear of Dock No. 1, connects with Consolidated Rail Corporation.  
Purpose: Receipt of sand, potash, quartz, limestone, and manganese ore by self-unloading vessels.  
Depth Alongside (feet): 28 - 30 | 28 - 30 | Latitude (decimal):  
Total Berthing Space (feet): 2000 | 2000 | Longitude (decimal):  
Remarks: Open storage area at rear of Dock No. 1, and between Docks Nos. 2 and 3 (Ref. No. 16) have a total storage capacity of 2,000,000 tons.□  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72101 Dock Code: 224 Buffalo District

---

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 8  
Name: **Pinney Dock & Transport Co., Ashtabula Mooring Dock No. 1.**  
Location: Outer harbor, inner portion of west side of Minnesota Slip. Datum: LWD  
Operator: Pinney Dock & Transport Co., Inc.  
Owner: Consolidated Rail Corp.  
Address: 1149 E 5th Street Phone: 216 964-7186  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Consolidated Rail Corp.: Surface tracks located in rear join with tracks serving Dock No. 1 Extension (Ref. No. 7).  
Purpose: Mooring vessels for repair and maintenance during closed navigation season.  
Depth Alongside (feet): 17 - 20 | | Latitude (decimal):  
Total Berthing Space (feet): 1108 | | Longitude (decimal):  
Remarks: During closed navigation season, vessels moored alongside wharf are furnished D.C., 110/220 volts from portable transformer by special arrangement.□  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72101 Dock Code: 0-

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 10  
Name: **Pinney Dock & Transport Company, Ashtabula Mooring Dock No. 2.**  
Location: Outer harbor, inner portion of east side of Minnesota Slip. Datum: LWD  
Operator: Pinney Dock & Transport Co., Inc.  
Owner: Consolidated Rail Corp.  
Address: 1149 E 5th Street Phone: 216 964-7186  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: Consolidated Rail Corp.: Storage yard tracks located in rear.  
Purpose: Occasional mooring for vessels during closed navigation season.  
Depth Alongside (feet): 20 - 23 | | Latitude (decimal):  
Total Berthing Space (feet): 1675 | | Longitude (decimal):  
Remarks: □□

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 0-

---

Port: **Ashtabula, OH**  
Waterway: **Ashtabula River** Mile: PWD: 3  
Name: **R.W. Sidley Dock.**  
Location: Inner harbor, right bank, Ashtabula River, approximately 200 feet below 5th Street Bridge. Datum: LWD  
Operator: R.W. Sidley, Inc.  
Owner: R.W. Sidley, Inc.  
Address: 508 Front Street. Phone: 216 964-7000  
Town: Ashtabula State: OH County: Ashtabula  
Railway Connection: None.  
Purpose: Receipt of limestone by self-unloading vessel.  
Depth Alongside (feet): 15 - 17 | | Latitude (decimal):  
Total Berthing Space (feet): 350 | | Longitude (decimal):  
Remarks: Open storage area in rear, capacity 60,000 tons maximum. □□

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72101 Dock Code: 177 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 2  
 Name: **Triad Salvage, No. 5 1/2 Slip.**  
 Location: Inner Harbor, right bank, Ashtabula River, No. 5 1/2 Slip, approximately 1,650 feet above 5th Street Bri Datum: LWD  
 Operator: Triad Salvage, Inc.  
 Owner: Consolidated Rail Corp.  
 Address: Gravel road from East 6th Street Phone: 216/993-9917  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: None.  
 Purpose: Mooring vessels for shipbreaking.  
 Depth Alongside (feet): 8 - 14 | | Latitude (decimal):  
 Total Berthing Space (feet): 900 | | Longitude (decimal):  
 Remarks: Open storage area at rear has capacity for approximately 8,000 tons of metal. □ □  
 Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72101 Dock Code: 0-

---

Port: **Ashtabula, OH**  
 Waterway: **Ashtabula River** Mile: PWD: 4  
 Name: **U.S. Coast Guard, Ashtabula Station Wharf.**  
 Location: Inner harbor, right bank, Ashtabula River, approximately 600 feet below 5th Street Bridge. Datum: LWD  
 Operator: Not operated.  
 Owner: U.S. Government.  
 Address: E. 6th Street extended. Phone:  
 Town: Ashtabula State: OH County: Ashtabula  
 Railway Connection: None.  
 Purpose: Not used.  
 Depth Alongside (feet): 9 | - 9 | 9 Latitude (decimal):  
 Total Berthing Space (feet): 91 | | Longitude (decimal):  
 Remarks: North side of wharf forms 37-foot wide, 3- to 7-foot deep slip with a parallel, 62-foot, steel sheet pile bulkhead along north side. Small craft boathouse with launching ramp located at head of slip. A 53-by 1 extends from boathouse parallel to sides of slip. Feul hose and reel located at lower end of wharf, connected by pipeline to two fuel oil storage tanks in rear, total capacity 2,000 gallons. Coast Guard station and buildings located in rear. Facility not being used at time of survey, vacant and locked up.  
 Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72101 Dock Code: 0-

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 2  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 1 Extension.**  
 Location: Inner Harbor, left bank of Conneaut River, near mouth. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Lakeside Road extended. Phone: 216/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad: two surface tracks along rear of face; total length 3,600 feet.  
 Purpose: Receipt of limestone by self-unloading vessels.  
 Depth Alongside (feet): 22 - 27 | | Latitude (decimal):  
 Total Berthing Space (feet): 1974 | | Longitude (decimal):  
 Remarks: Two self-unloading vessels can discharge simultaneously. Open storage area in rear for 600,000 tons of limestone. Wharf equipped with one 2-inch compressed air line. Outer 300 feet of wharf owned by U.S. Govern  
 Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72108 Dock Code: 020 Buffalo District

---

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 3  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 1.**  
 Location: Inner Harbor, left bank of Conneaut River, west side of turning basin. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Park Ave. extended. Phone: 216/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad: three surface tracks, total length 1,374 feet along rear of face; and one surface track in rear joins with trackage described under Ref. No. 2.  
 Purpose: Receipt of stone and bulk dolomite by vessel.  
 Depth Alongside (feet): 27 - 28 | | Latitude (decimal):  
 Total Berthing Space (feet): 458 | | Longitude (decimal):  
 Remarks: Wharf equipped with one 2-inch compressed air line.□□  
 Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72108 Dock Code: 030 Buffalo District

---



## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 5  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 2.**  
 Location: West side of slip, south of turning basin. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Erie Ave. extended. Phone: 216/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad: one 1,150-foot surface track extends along rear of face.  
 Purpose: Mooring vessels.  
 Depth Alongside (feet): 21 - 27 | 23 | Latitude (decimal):  
 Total Berthing Space (feet): 1233 | 105 | Longitude (decimal):  
 Remarks: □□

Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72108 Dock Code: 0-

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 6  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 3.**  
 Location: East side of slip, south of turning basin. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Erie Ave. extended. Phone: 216/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad: one 680-foot surface track on apron, one surface track at rear of power house, and one surface track serving car receiving pits join with additional yard tracks and  
 Purpose: Shipment of coal; occasionally bunkering vessels with coal.  
 Depth Alongside (feet): 27 - 28 | | Latitude (decimal):  
 Total Berthing Space (feet): 1250 | | Longitude (decimal):  
 Remarks: open storage area at rear. Open storage area is also served by two, electric, traveling, coal stackers, for use in reclaiming, rate 4,000 tons per hour; and two, electric, traveling, bucket wheel reclaimers, rate 4,000 tons per hour each. □ Coal loaders on wharf are also served by a 72-inch electric, belt-conveyor system extending from additional 1,600,000-ton storage area east of the Conneaut River served by one electric, traveling, coal stacker, rate approximately 10,000 tons per hour; and one electric, traveling, bucket-wheel reclaimer, rate approximately 4,000 tons per hour.

Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72108 Dock Code: 040 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 7  
 Name: **The Pittsburgh & Conneaut Dock Co., Dock No. 4.**  
 Location: Inner Harbor, right bank of Conneaut River, near entrance. Datum: LWD  
 Operator: The Pittsburgh & Conneaut Dock Co.  
 Owner: The Pittsburgh & Conneaut Dock Co.  
 Address: Park Ave. extended. Phone: 216/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad: Five marginal surface tracks extend along rear of wharf, serving two 5,000-ton per hour car-loading stations, total length 5,330 feet; join additional trackage in rear  
 Purpose: Receipt of iron ore and limestone.  
 Depth Alongside (feet): 27 | 28 | Latitude (decimal):  
 Total Berthing Space (feet): 1228 | 850 | Longitude (decimal):  
 Remarks: and two electric, traveling, bucket-wheel reclaimers, rate 5,800 tons per hour each. □ Idle mooring for vessels is available along the west side of the East Pier which extends from outer end in line with face. Open storage areas have a combined capacity for 3,500,000 tons of iron ore pellets.  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72108 Dock Code: 050 Buffalo District

---

Port: **Conneaut, OH**  
 Waterway: **Inner Harbor (Conneaut River)** Mile: PWD: 4  
 Name: **The Pittsburgh & Conneaut Dock Co., Perry Dock.**  
 Location: Left bank of Conneaut River, southwest side of turning basin. Datum: LWD  
 Operator: Not operated.  
 Owner: Bessemer and Lake Erie Railroad Co.  
 Address: Park Ave. extended. Phone: 216/593-1102  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: Bessemer and Lake Erie Railroad: two surface tracks along rear of 329-foot section of wharf.  
 Purpose: Not used.  
 Depth Alongside (feet): 18 - 20 | | Latitude (decimal):  
 Total Berthing Space (feet): 438 | | Longitude (decimal):  
 Remarks: Emergency room, welfare building, and Customs Office located in rear of 329-foot section of wharf. □  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72108 Dock Code: 0-

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Conneaut, OH**  
 Waterway: **Outer Harbor (Conneaut River)** Mile: PWD: 1  
 Name: **City of Conneaut Public Dock.**  
 Location: Outer harbor, west of foot of Broad Street. Datum: LWD  
 Operator: Conneaut Port Authority and Conneaut Fisheries, Inc.  
 Owner: City of Conneaut.  
 Address: Foot of Broad Street Phone: 216/593-3443  
 Town: Conneaut State: OH County: Ashtabula  
 Railway Connection: None.  
 Purpose: Receipt of fish; mooring fishing boats and other types of small craft.  
 Depth Alongside (feet): 6 - 7 | 2 - 5 | 3 Latitude (decimal):  
 Total Berthing Space (feet): 450 | | Longitude (decimal):  
 Remarks: Fish-packing plant located in rear near east side. Fishing boats moor in basin on east side. A 45- by 25-foot, public boat ramp extends diagonally from west side of dock.  
 Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72108 Dock Code: 010 Buffalo District

Port: **Erie, PA**  
 Waterway: **Presque Isle Bay** Mile: PWD: 5  
 Name: **City of Erie State Street Pier, East Extension.**  
 Location: South side of Presque Isle Bay, east of foot of State Street. Datum: LWD  
 Operator: City of Erie, R.D. McAllister & Son, Ltd; Lund Boat Works; and Bayshore Marine.  
 Owner: City of Erie, R.D. McAllister & Son, Ltd; Lund Boat Works; and Bayshore Marine.  
 Address: East Bay Front Phone: 814/452-3201  
 Town: Erie State: PA County: Erie  
 Railway Connection: None.  
 Purpose: Repairing, fueling, and mooring fishing boats, recreational craft, and other types of small vessels.  
 Depth Alongside (feet): 12 - 18 | 12 | 8 - 12 Latitude (decimal):  
 Total Berthing Space (feet): 675 | 310 | 160 Longitude (decimal):  
 Remarks: Additional berthing on south side available in 2 slips and at several small timber piers; south side forms north side of East Canal Basin. Lund Boat Works operates a 40-ton marine railway; R.D. McAllister & Son vertical boat lift. Bayshore Marine operates a 25-ton vertical boat lift, and metered fuel pumps on east side. □ The south side of East Canal Basin is used for mooring recreational craft.  
 Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72122 Dock Code: 0-

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 6  
Name: **Dobbins Landing, State Street Public Dock.**  
Location: South side of Presque Isle Bay, foot of State Street. Datum: LWD  
Operator: Erie-Western Pennsylvania Port Authority.  
Owner: Erie-Western Pennsylvania Port Authority.  
Address: State Street. Phone:  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring excursion and fishing boats and other types of small vessels.  
Depth Alongside (feet): 18 | 9 - 15 | 9 - 18 Latitude (decimal):  
Total Berthing Space (feet): 100 | 543 | 543 Longitude (decimal):  
Remarks: One 225- by 85-foot, steel frame building with open sides on pier. Julie Marie Lake Rides and Fishing Charters operates on an excursion boat during the summer season.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 140 Buffalo District

---

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 2  
Name: **Erie Dry Bulk Wharf.**  
Location: South side of Presque Isle Bay, west of foot of Parade Street extended. Datum: LWD  
Operator: Erie Sand & Gravel Co.  
Owner: Erie-Western Pennsylvania Port Authority  
Address: Sassafras St. Phone: 814/453-6721  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Receipt of salt and sand; mooring vessels.  
Depth Alongside (feet): 22 - 24 | | Latitude (decimal):  
Total Berthing Space (feet): 1220 | | Longitude (decimal):  
Remarks: Wharf forms slip with east side of Ref. No. 3. □ Approximately 5.5 acres of paved, open storage area at rear has capacity for 500,000 tons of sand.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 115 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 1  
Name: **Erie International Marine Terminal, Berths Nos. 1, 2, and 3.**  
Location: South side of Presque Isle Bay, between foot of Reed and Wallace Streets extended. Datum: LWD  
Operator: Codan Corporation.  
Owner: Erie-Western Pennsylvania Port Authority.  
Address: East Bay Drive Phone: 814/453-6651  
Town: Erie State: PA County: Erie  
Railway Connection: Two connecting surface tracks on apron, total length 2,600 feet; and one 160-foot platform-level track along rear of Transit Shed No. 1; connect with Consolidated Rail Corp.  
Purpose: Receipt and shipment of containerized and conventional general cargo in foreign and domestic trade; shipment of machinery and locomotives; receipt and shipment of vehicles, steel products, lumber, and miscell  
Depth Alongside (feet): 23 - 26 | | Latitude (decimal):  
Total Berthing Space (feet): 1508 | | Longitude (decimal):  
Remarks: Trucks have access to interior of transit sheds and to wharf apron. A concrete ramp extends to loading platform along rear of Transit Shed No. 1. A truck scale is located near entrance to terminal. Approximately 22 acres of paved, open storage area is located at rear of wharf; large, additional, unimproved, open storage areas are located south of terminal. Transit Shed No. 1 is also used as a storage warehouse during the closed navigation season (S.W. Ref. No. 2). Transit Shed No. 2 at rear is used primarily for storage of dry bulk commodities.

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 010 Buffalo District

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 4  
Name: **Erie Marine, Outfitting Pier.**  
Location: South side of Presque Isle Bay, between foot of German and Holland Streets extended. Datum: LWD  
Operator: Erie Marine Division of Litton Industries, Inc.  
Owner: Greater Erie Industrial Development Corp.  
Address: 17 West Public Dock Phone: 814/454-3811  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring vessels for outfitting, conversion, and occasional repair.  
Depth Alongside (feet): 20 - 28 | 12 - 28 | Latitude (decimal):  
Total Berthing Space (feet): | 1115 | Longitude (decimal):  
Remarks: Pier equipped with compressed air, acetylene gas, and oxygen lines. Building on west side of pier used for office, warehouse, and outfitting; a fabrication shop is located adjacent to inner east side of building located at inner end of graving dock. One 20-ton, electric, traveling, gantry crane on rails equipped with magnets serves storage yard area; one 20- and one 3-ton bridge cranes serve fabricationshop; and one 120- and one 10-ton bridge cranes serve assembly shop. West side of pier forms 190-foot wide slip.

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 126 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 9  
Name: **Erie Sand and Gravel Co. Wharf.**  
Location: South side of Presque Isle Bay, foot of Sassafras Street extended. Datum: LWD  
Operator: Erie Sand and Gravel Co.  
Owner: Erie Sand and Gravel Co.  
Address: Foot of Sassafras Street Phone: 814/453-6721  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Receipt of sand and limestone by self-unloading vessel.  
Depth Alongside (feet): 19 - 21 | 14 - 21 | 12 Latitude (decimal):  
Total Berthing Space (feet): 305 | 1031 | Longitude (decimal):  
Remarks: Ready-mix concrete plant located on inner portion of pier; open areas on pier have capacity for approximately 100,000 tons of material. Two 6-inch pipelines extend to wharf from one 12,000 barrel, steel, fuel oil  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 150 Buffalo District

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 3  
Name: **Erie-Western Pennsylvania Port Authority, East Pier.**  
Location: South side of Presque Isle Bay, east of foot of German Street extended. Datum: LWD  
Operator: Erie Marine Division of Litton Industries, Inc.  
Owner: Erie-Western Pennsylvania Port Authority, and Greater Erie Industrial Development Corp.  
Address: 17 West Public Dock Phone: 814/454-3811  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring vessels.  
Depth Alongside (feet): 18 - 24 | 22 - 24 | Latitude (decimal):  
Total Berthing Space (feet): | 1240 | Longitude (decimal):  
Remarks: Greater Erie Industrial Development Corp. owns 25-foot wide section of west side of pier which forms a graving dock, 130 feet wide and 1,250 feet long, with east side of Ref. No. 4.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 120 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 8  
Name: **Gem City Marina Pier.**  
Location: South side of Presque Isle Bay, West Canal Basin, foot of Peach Street extended. Datum: LWD  
Operator: Gem City Marina, Inc.; Paasch Marine Service; and various other operators.  
Owner: State of Pennsylvania; Port Authority, Erie-Western PA Port Authority; Gem City Marina, Inc.; and Harold  
Address: 26 West Front Street Phone: 814/459-8184  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Repairing, fueling, and mooring fishing boats, recreational craft, and other types of small vessels.  
Depth Alongside (feet): 5 | 3 - 5 | 3 - 5 Latitude (decimal):  
Total Berthing Space (feet): 78 | 220 | 220 Longitude (decimal):  
Remarks: Gem City Marina, Inc., operates boat storage sheds, metered fuel pumps, and repair and service facilities, including a 30-ton, mobile, gasoline, vertical boat lift. Paasch Marine Service operates repair facilities, and 50-ton, electric, vertical boat lift located east of inner end of pier.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 0-

---

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 7  
Name: **State Street Pier, West Extension.**  
Location: South side of Presque Isle Bay, west of foot of State Street. Datum: LWD  
Operator: City of Erie; Erie Marine Supply Co.; and Nolan Boat Works, Inc.  
Owner: City of Erie; J. Wilson; J.W. Nolan; and Sail Yard, Ltd.  
Address: 77 West Dock Phone: 814/455-3311  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Repairing, fueling, and mooring fishing boats, recreation craft, and other types of small vessels.  
Depth Alongside (feet): 7 - 9 | 6 | 8 - 10 Latitude (decimal):  
Total Berthing Space (feet): 646 | 220 | Longitude (decimal):  
Remarks: Pier occupied by marine repair shops, restaurant, and boat sales and supply buildings. Along south side berthing is available in 2 slips and at several small timber piers; south side forms north side of West Can Erie Marine Supply Co. operates a 30-ton vertical boat lift. Sail Yard, Ltd., operates a 20-ton, mobile, vertical boat lift, and metered fuel pumps for recreational craft on the south side.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 0-

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 10  
Name: **U.S. Coast Guard, Erie Station North Pier Slip.**  
Location: Presque Isle, north side of entrance to Erie Harbor. Datum: LWD  
Operator: U.S. Coast Guard.  
Owner: United States Government.  
Address: Coast Guard Erie Station NO. 236 Phone: 814/838-2097  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring small U.S. Coast Guard vessels.  
Depth Alongside (feet): 9 | - 9 | - 9 Latitude (decimal):  
Total Berthing Space (feet): | 45 | 85 Longitude (decimal):  
Remarks: Station office, supply, and garage buildings in rear; boathouse with launching ways located at head of slip. □

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 0-

---

Port: **Erie, PA**  
Waterway: **Presque Isle Bay** Mile: PWD: 11  
Name: **U.S. Coast Guard, Erie Station, Horseshoe Pond Piers.**  
Location: Presque Isle, south side of Horseshoe Pond. Datum: LWD  
Operator: U.S. Coast Guard and State of Pennsylvania Game Commission.  
Owner: United States Government.  
Address: Coast Guard Erie Station NO. 236 Phone: 814/838-2097  
Town: Erie State: PA County: Erie  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard and state-owned patrol boats.  
Depth Alongside (feet): 4 | 4 | Latitude (decimal):  
Total Berthing Space (feet): 200 | 180 | Longitude (decimal):  
Remarks: -□□

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72122 Dock Code: 0-

---



## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 7  
Name: **Grand River Fish Piers.**  
Location: Left bank of Grand River, Grand River Village, foot of Hollon Street extended. Datum: LWD  
Operator: Rutherford's Landing.  
Owner: Mary Ann Rutherford.  
Address: 311 River Street. Phone: 216 352-8122  
Town: Grand River Vil State: OH County: Lake  
Railway Connection: None.  
Purpose: Marine fueling service and mooring vessels.  
Depth Alongside (feet): 5 | 5 | Latitude (decimal):  
Total Berthing Space (feet): 90 | 45 | Longitude (decimal):  
Remarks: ☐☐

Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72088 Dock Code: 072 Buffalo District

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 4  
Name: **LTV Lime Plant Dock.**  
Location: Left bank, Grand River, approximately 0.7 mile above outer end of West Pier at mouth of river. Datum: LWD  
Operator: LTV Lime Plant  
Owner: LTV Lime Plant  
Address: William St. and Orange St. Phone: 216/354-4141  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: One surface track serves plant in rear; connects with Baltimore and Ohio Railroad via tracks of Consolidated Rail Corp.  
Purpose: Receipt of limestone by self-unloading vessel.  
Depth Alongside (feet): 24 | | Latitude (decimal): 41.751944  
Total Berthing Space (feet): 1700 | | Longitude (decimal): -81.28083  
Remarks: Open storage area at rear has total capacity for 400,000 tons of limestone and is served by a 350-foot long concrete tunnel with 4 intake hoppers and a 24-inch wide, electric conveyor belt connecting with a 100-f belt extending to plant in rear; rate 130 tons per hour. ☐ Six lime storage silos at plant have total capacity for 17,000 tons.

Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72088 Dock Code: 059 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 3  
Name: **Morton Salt Co. Fairport Plant Dock.**  
Location: Left bank, Grand River, approximately 0.5 mile above outer end of West Pier at mouth of river. Datum: LWD  
Operator: Morton Salt Co., a Division of Morton-Norwich Products, Inc.  
Owner: Morton Salt Co., a Division of Morton-Norwich Products, Inc.  
Address: - Phone: 216/352-9351  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: Three surface tracks serve 2 car-loading spouts and plant in rear; connect with Baltimore and Ohio Railroad via tracks of Consolidated Rail Corps.  
Purpose: Shipment of bulk salt.  
Depth Alongside (feet): 20 - 24 | | Latitude (decimal): 41.754167  
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.28056  
Remarks: Twelve concrete storage silos located at plant in rear, total capacity 12,000 tons. Open storage area in rear has capacity for 250,000 tons of salt. Salt mine in rear extends under Lake Erie.  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72088 Dock Code: 028 Buffalo District

---

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 9  
Name: **Northeastern Road Improvement Co. Dock.**  
Location: Right bank of Grand River, Fairport Harbor, foot of Third Street extended. Datum: LWD  
Operator: The Northeastern Road Improvement Co.  
Owner: The Northeastern Road Improvement Co.  
Address: 129 Water Street. Phone: 216/354-3541  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: None.  
Purpose: Receipt of limestone by self-unloading vessel.  
Depth Alongside (feet): 15 - 23 | | Latitude (decimal): 41.755556  
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.27972  
Remarks: Open storage area at rear for approximately 200,000 tons of limestone. □ □  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72088 Dock Code: 160 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 5  
Name: **Osborne Concrete & Stone Co. Dock.**  
Location: Left bank, Grand River, Grand River Village, west side of Turning Basin. Datum: LWD  
Operator: Osborne Concrete & Stone Co.  
Owner: Osborne Concrete & Stone Co.  
Address: William Street. Phone: 216/357-5562  
Town: Grand River Vil State: OH County: Lake  
Railway Connection: One surface track serves plant in rear; connects with Baltimore and Ohio Railroad via tracks of Consolidated Rail Corp.  
Purpose: Receipt of sand and limestone by self-unloading vessel.  
Depth Alongside (feet): 18 - 19 | | Latitude (decimal):  
Total Berthing Space (feet): 1450 | | Longitude (decimal):  
Remarks: Asphalt and ready-mix concrete plants located in rear. Open storage area at rear for 100,000 tons of material.□  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72088 Dock Code: 060 Buffalo District

---

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 6  
Name: **Osborne Concrete & Stone Co. Mooring Wharf.**  
Location: Left bank, Grand River, Grand River Village, approximately 400 feet above Turning Basin. Datum: LWD  
Operator: Osborne Concrete and Stone Co.  
Owner: Jerome T. and Georgeanne Osborne.  
Address: William Street. Phone: 216 357-5562  
Town: Grand River Vil State: OH County: Lake  
Railway Connection: None.  
Purpose: Mooring company-owned floating equipment.  
Depth Alongside (feet): 10 - 13 | | Latitude (decimal):  
Total Berthing Space (feet): 615 | | Longitude (decimal):  
Remarks: Wharf slopes toward face. At time of survey, entire structure was in poor condition. Steel frame, metal-covered building at rear was being used for miscellaneous storage.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72088 Dock Code: 0-

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 2  
Name: **Painesville Grand River Dock Co. Dock.**  
Location: Left bank, Grand River, approximately 0.3 mile above outer end of West Pier at mouth of river. Datum: LWD  
Operator: Painesville Grand River Dock Co.  
Owner: A.J. Ronyak, Inc. and R.W. Sidley, Inc.  
Address: Coast Guard Road. Phone: 216/352-3111  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: None.  
Purpose: Receipt of limestone and sand by self-unloading vessel.  
Depth Alongside (feet): 18 - 22 | | Latitude (decimal): 41.758056  
Total Berthing Space (feet): 1540 | | Longitude (decimal): -81.28083  
Remarks: Open storage area in rear for 100,000 tons of material. ☐ Terminal is operated for receipt of sand and stone by vessel and shipment by truck.  
Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72088 Dock Code: 025 Buffalo District

---

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 8  
Name: **The Ceico Co. Wharf.**  
Location: Right bank of Grand River, Fairport Harbor, above foot of Burton Street extended. Datum: LWD  
Operator: Not operated.  
Owner: The Ceico Co.  
Address: Foot of Burton Street. Phone: 800 331-5487  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: None.  
Purpose: Not used.  
Depth Alongside (feet): 20 - 23 | | Latitude (decimal): 41.743333  
Total Berthing Space (feet): 1300 | | Longitude (decimal): -81.28028  
Remarks: ☐ ☐  
Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72088 Dock Code: 110 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 10  
Name: **Union Sand & Supply Corp. Dock.**  
Location: Fairport Harbor, right bank, Grand River, foot of Second Street extended. Datum: LWD  
Operator: The Union Sand & Supply Corp.  
Owner: Fairport Development Co., Inc.  
Address: 111 Water Street. Phone: 216 354-3777  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: None.  
Purpose: Receipt of limestone and sand by self-unloading vessel.  
Depth Alongside (feet): 15 - 23 | | Latitude (decimal): 41.7575  
Total Berthing Space (feet): 1119 | | Longitude (decimal): -81.27972  
Remarks: Ready-mix concrete plant and open storage area for approximately 100,000 tons of material located at rear. □  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72088 Dock Code: 150 Buffalo District

---

Port: **Fairport Harbor, OH**  
Waterway: **Grand River** Mile: PWD: 1  
Name: **United States Coast Guard Station, Fairport Boat Slip.**  
Location: Left bank, Grand River, approximately 500 feet above outer end of West Pier at mouth of river. Datum: LWD  
Operator: United States Coast Guard.  
Owner: United States Government.  
Address: Coast Guard Road. Phone: 216/352-3111  
Town: Fairport Harbor State: OH County: Lake  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard patrol vessels.  
Depth Alongside (feet): 3 - 10 | 10 - 12 | 3 - 10 Latitude (decimal): 41.760278  
Total Berthing Space (feet): | 50 | 75 Longitude (decimal): -81.28083  
Remarks: Concrete launching ramp extends from boat house in rear to inner end of slip; three 65-foot timber catwalks extend from inner end parallel with sides. A 495-foot, steel sheet pile, cellular bulkhead below entrance occasionally used for mooring miscellaneous Federal- and state-owned vessels. One 1 1/2-inch fuel line extends to slip from one 1,000-gallon tank in rear.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72088 Dock Code: 0-

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Huron, OH**  
Waterway: **Huron Harbor** Mile: PWD: 1  
Name: **Corps of Engineers Huron Harbor Dredge Pump- Out Facility.**  
Location: Outer Huron Harbor, mouth of Huron River, east side of center section of West Pier. Datum: LWD  
Operator: U.S. Army Corps of Engineers.  
Owner: United States Government.  
Address: Foot of Wall Street. Phone: 216 522-4957  
Town: Huron State: OH County: Erie  
Railway Connection: None.  
Purpose: Mooring dredges for discharge of dredged material into spoil area on opposite side of West Pier.  
Depth Alongside (feet): 15 - 25 | | Latitude (decimal):  
Total Berthing Space (feet): 900 | | Longitude (decimal):  
Remarks: A 68-acre, semi-circular-diked disposal area is located on opposite side of West Pier.□  
Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72051 Dock Code: 0-

---

Port: **Huron, OH**  
Waterway: **Huron Harbor** Mile: PWD: 5  
Name: **Huron Lime Co., Stone Dock.**  
Location: Huron Harbor, east side of mouth of Huron River, and outer east side of Slip No. 1. Datum: LWD  
Operator: Huron Lime Co.  
Owner: Norfolk and Western Railway Co.  
Address: Berlin Road extended. Phone:  
Town: Huron State: OH County: Erie  
Railway Connection: Norfolk and Western Railway: Two surface tracks serve plant in rear and one serves inactive rotary dumper at rear of wharf.  
Purpose: Receipt of limestone by self-unloading vessel.  
Depth Alongside (feet): 16 - 17 | 16 - 24 | 24 - 28 Latitude (decimal):  
Total Berthing Space (feet): 375 | 300 | 425 Longitude (decimal):  
Remarks: Open storage area at rear has capacity for 120,000 tons of limestone; five steel silos at lime manufacturing plant in rear have total capacity for 1,800 tons of lime.  
Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72051 Dock Code: 074 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Huron, OH**  
Waterway: **Huron Harbor** Mile: PWD: 4  
Name: **Lake Erie Dock Co., Mooring Wharf.**  
Location: Huron Harbor, mouth of Huron River, west side of Slip No. 1. Datum: LWD  
Operator: Lake Erie Dock Co.  
Owner: Norfolk and Western Railway Co.  
Address: Berlin Road extended. Phone:  
Town: Huron State: OH County: Erie  
Railway Connection: Norfolk and Western Railway: One surface track at rear of face joins with 3 surface tracks on Ore Dock (Ref. No. 3).  
Purpose: Mooring vessels during closed navigation season.  
Depth Alongside (feet): 16 | | Latitude (decimal):  
Total Berthing Space (feet): 1000 | | Longitude (decimal):  
Remarks: Arrangements can be made with utility company for electrical service for vessels moored during closed navigation season. □  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72051 Dock Code: 065 Buffalo District

---

Port: **Huron, OH**  
Waterway: **Huron Harbor** Mile: PWD: 3  
Name: **Lake Erie Dock Co., Ore Dock.**  
Location: Huron Harbor, mouth of Huron River, east side of Slip No. 2. Datum: LWD  
Operator: Not operated.  
Owner: Norfolk and Western Railway Co.  
Address: North end of River extended. Phone:  
Town: Huron State: OH County: Erie  
Railway Connection: Norfolk and Western Railway: Three marginal surface tracks along rear of face, total length 4,200 feet; total car capacity 120 cars.  
Purpose: Not used.  
Depth Alongside (feet): 26 - 27 | | Latitude (decimal):  
Total Berthing Space (feet): 1400 | | Longitude (decimal):  
Remarks: Open storage area at rear has capacity for 150,000 tons of ore. □ □  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72051 Dock Code: 060 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Huron, OH**  
 Waterway: **Huron Harbor** Mile: PWD: 2  
 Name: **The Pillsbury Co., Grain Elevator Wharf.**  
 Location: Huron Harbor, mouth of Huron River, west side of Slip No. 2. Datum: LWD  
 Operator: The Pillsbury Co.  
 Owner: The Pillsbury Co.  
 Address: North end of River extended. Phone: 419 433-4900  
 Town: Huron State: OH County: Erie  
 Railway Connection: Three surface tracks serve car dumper, total length 2,420 feet; one 970-foot surface track serves carloading spout; one 360-foot surface track serves boiler house; 5 surface tracks serve interior of car shed  
 Purpose: Shipment of grain by vessel.  
 Depth Alongside (feet): 27 | 18 - 24 | Latitude (decimal):  
 Total Berthing Space (feet): 832 | | Longitude (decimal):  
 Remarks: Grain elevator at rear of face has storage capacity for 2,300,000 bushels. □ One 12-inch pipeline (not in use at time of survey) extends from face to 3 steel, molasses storage tanks at elevator, total capacity 155, additional tanks are located at elevator for storage of liquid fats, total capacity 30,150 gallons. Pipeline and tanks were inactive at time of survey.  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72051 Dock Code: 050 Buffalo District

---

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 9  
 Name: **Corps of Engineers Lorain Harbor Dredge Pump Out Facility Mooring.**  
 Location: Right bank, Black River, approximately 500 feet above Erie Avenue Bridge. Datum: LWD  
 Operator: U.S. Army Corps of Engineers.  
 Owner: City of Lorain.  
 Address: Foot of Lakeside Avenue. Phone: 216/522-4957  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: None.  
 Purpose: Mooring dredges for pipeline discharge of dredged material to spoil area.  
 Depth Alongside (feet): 27 | | Latitude (decimal):  
 Total Berthing Space (feet): 200 | | Longitude (decimal):  
 Remarks: Two 16-inch pipelines with one 16-inch connection on platform extends approximately 1,000 feet easterly into a 64-acre, semi-circular diked disposal area located east of the East Breakwater.  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 0-

---



## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 6  
 Name: **Gold Bond Building Products, Lorain Plant Wharf.**  
 Location: Right bank, Black River, approximately 1,500 feet above 21st Street Bridge. Datum: LWD  
 Operator: Gold Bond Building Products, Division of National Gypsum Co.  
 Owner: Gold Bond Building Products, Division of National Gypsum Co.  
 Address: 1901 Henderson Drive. Phone: 216/288-9101  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: None.  
 Purpose: Receipt of gypsum rock by self-unloading vessel.  
 Depth Alongside (feet): 20 | | Latitude (decimal):  
 Total Berthing Space (feet): 750 | | Longitude (decimal):  
 Remarks: Open storage area located at rear of wharf has total capacity for 120,000 tons of gypsum rock. □  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 140 Buffalo District

Port: **Lorain, OH**  
 Waterway: **Black River** Mile: PWD: 7  
 Name: **Jonick Dock and Terminal Wharf.**  
 Location: Right bank, Black River, below Norfolk and Western Railway bridge. Datum: LWD  
 Operator: Jonick & Co.  
 Owner: Jonick & Co.  
 Address: 1840 Idaho Ave. Phone: 216/288-0251  
 Town: Lorain State: OH County: Lorain  
 Railway Connection: None.  
 Purpose: Receipt of crushed stone by self unloading vessel. Occasional receipt of miscellaneous bulk materials. (See Remarks.)  
 Depth Alongside (feet): 12 - 15 | 27 | Latitude (decimal):  
 Total Berthing Space (feet): 220 | 300 | Longitude (decimal):  
 Remarks: Open storage area at rear of wharf for 12,000 tons of material. Storage building has total capacity for 40,000 tons of bulk materials to include potash and milscale.  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 135 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 1  
Name: **LTV Steel Corp. Lorain Pellet Terminal Mooring Basin.**  
Location: Outer harbor, west of entrance to Black River. Datum: LWD  
Operator: LTV Steel Corp.  
Owner: LTV Steel Corp.  
Address: 203 N. Broadway Phone: 216/244-2324  
Town: Lorain State: OH County: Lorain  
Railway Connection: Three parallel surface tracks at rear of east side connect with Baltimore and Ohio Railroad (Chessie System).  
Purpose: Mooring vessels awaiting berth at Ref. No. 2.  
Depth Alongside (feet): 23 - 25 | 25 | 20 - 23 Latitude (decimal):  
Total Berthing Space (feet): | 1095 | 1090 Longitude (decimal):  
Remarks: -□□

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 0-

---

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 2  
Name: **LTV Steel Corp. Lorain Pellet Terminal Wharf.**  
Location: Left bank, Black River, below Erie Avenue Bridge. Datum: LWD  
Operator: LTV Steel Corp.  
Owner: LTV Steel Corp.  
Address: 203 N. Broadway Phone: 216/244-2324  
Town: Lorain State: OH County: Lorain  
Railway Connection: Two marginal surface tracks along inner end and one along outer end serve rail car-loading facility; connect with Baltimore and Ohio Railroad (Chessie System).  
Purpose: Receipt of iron ore pellets by self-unloading vessel; shipment by smaller vessel.  
Depth Alongside (feet): 27 | | Latitude (decimal):  
Total Berthing Space (feet): 2200 | | Longitude (decimal):  
Remarks: Four separate concrete-walled storage areas at rear of face have total capacity for 532,000 long tons of iron ore pellets.□

Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 060 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 3  
Name: **LTV Steel Corp., Mooring Wharf.**  
Location: Left bank, Black River, between foot of 14th and 15th Streets extended. Datum: LWD  
Operator: LTV Steel Corp.  
Owner: LTV Steel Corp.  
Address: 203 N. Broadway Phone: 216/244-2324  
Town: Lorain State: OH County: Lorain  
Railway Connection: None.  
Purpose: Mooring vessels during closed navigation season.  
Depth Alongside (feet): 13 - 24 | | Latitude (decimal):  
Total Berthing Space (feet): 880 | | Longitude (decimal):  
Remarks: Wharf equipped with lines for supplying water, electricity, and telephone service to vessels mooring during closed navigation season. □  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 0-

---

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 8  
Name: **Terminal Ready-Mix Dock.**  
Location: Right bank, Black River, above Norfolk and Western Railway bridge. Datum: LWD  
Operator: Terminal Ready-Mix, Inc.  
Owner: Ethel Falbo.  
Address: 524 Colorado Avenue. Phone: 216/288-0181  
Town: Lorain State: OH County: Lorain  
Railway Connection: None.  
Purpose: Receipt of sand and stone by self-unloading vessel.  
Depth Alongside (feet): 10 - 25 | 10 - 25 | Latitude (decimal):  
Total Berthing Space (feet): 150 | 500 | Longitude (decimal):  
Remarks: Ready-mix concrete plant and open storage area for 30,000 tons of stone and 20,000 tons of sand located at rear. □  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 090 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 10  
Name: **U.S. Coast Guard Lorain Station Slip.**  
Location: Right bank, Black River, approximately 800 feet above Erie Avenue Bridge. Datum: LWD  
Operator: U.S. Coast Guard.  
Owner: City of Lorain.  
Address: 240 East Pier Phone: 216/288-1206  
Town: Lorain State: OH County: Lorain  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard vessels.  
Depth Alongside (feet): | 11 | 11 Latitude (decimal):  
Total Berthing Space (feet): | 67 | 67 Longitude (decimal):  
Remarks: Boat house and one small marine railway with motorized travel lift located at area in rear of slip. □  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72060 Dock Code: 0-

---

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 5  
Name: **USX Corp., Lorain Works, Ore Dock.**  
Location: Left bank, Black River, approximately 0.6 mile above 21st Street Bridge. Datum: LWD  
Operator: USX Corp.  
Owner: USX Corp.  
Address: 1807 East 28th Street. Phone: 216/277-2433  
Town: Lorain State: OH County: Lorain  
Railway Connection: Lake Terminal Railroad: Plant trackage in rear connects with Norfolk and Western Railway, Consolidated Rail Corp., and Baltimore and Ohio Railroad (Chessie System).  
Purpose: Receipt of iron ore pellets and limestone; mooring vessels during closed navigation season. (See Remarks.)  
Depth Alongside (feet): 26 | | Latitude (decimal):  
Total Berthing Space (feet): 2490 | | Longitude (decimal):  
Remarks: Open storage area at rear has total capacity for 3,000,000 tons of iron ore pellets. Storage trough has capacity for 57,500 tons. Limestone is received by self-unloading vessel at upper end of wharf; vessel's discharges directly into a 50-ton capacity receiving hopper which feeds a 48-inch, overhead electric belt conveyor extending to a 310,000-ton capacity open storage area at rear, rate 4,800 tons per hour. A 30-inch electric belt-conveyor system in a tunnel under storage area extends to plant in rear.  
Year of Last Survey: 1990 Corps of Eng'rs Waterway Code: 72060 Dock Code: 175 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Lorain, OH**  
Waterway: **Black River** Mile: PWD: 4  
Name: **USX Corp., Lorain Works, Slag Dock.**  
Location: Left bank, Black River, approximately 0.3 mile above 21st Street Bridge. Datum: LWD  
Operator: USX Corp.  
Owner: USX Corp.  
Address: 1807 East 28th Street. Phone: 216/277-2433  
Town: Lorain State: OH County: Lorain  
Railway Connection: Lake Terminal Railroad: Plant trackage in rear connects with Norfolk and Western Railway, Consolidated Rail Corp., and Baltimore and Ohio Railroad (Chessie System).  
Purpose: Receipt of miscellaneous dry bulk materials by self-unloading vessel and occasional shipment of crushed slag and coke breeze.  
Depth Alongside (feet): 20 | | Latitude (decimal):  
Total Berthing Space (feet): 220 | | Longitude (decimal):  
Remarks: Open storage area in rear has total capacity for approximately 30,000 tons of material. □  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72060 Dock Code: 155 Buffalo District

---

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 4  
Name: **Cedar Point Pier.**  
Location: South shore of Sandusky Bay, west of foot of Columbus Avenue extended. Datum: LWD  
Operator: Sandusky Boat Line.  
Owner: Cedar Point, Inc.  
Address: 208 West Shoreline Drive. Phone: 419 627-0198  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Terminal for passenger ferry service to Cedar Point, Ohio, and Lake Erie charter cruises.  
Depth Alongside (feet): 15 - 18 | 5 - 15 | 5 - 18 Latitude (decimal):  
Total Berthing Space (feet): 70 | 360 | 145 Longitude (decimal):  
Remarks: One 240- by 48-foot, open-sided, steel frame building on pier serves as passenger terminal. Ferries operate to Cedar Point, Ohio, only during tourist season- May 15 through September 15 yearly.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72046 Dock Code:

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 5  
Name: **City Dock.**  
Location: South shore of Sandusky Bay, east of foot of Jackson Street extended. Datum: LWD  
Operator: City of Sandusky.  
Owner: City of Sandusky.  
Address: West Shoreline Drive. Phone:  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Public landing for passenger and vehicular ferries, 'M.V. Pelee Islander' and 'M.S. Upper Canada', small freight vessels, recreational craft, and U.S. Coast Guard patrol boats.  
Depth Alongside (feet): 6 - 9 | 6 - 8 | 4 - 9 Latitude (decimal):  
Total Berthing Space (feet): 116 | 250 | 350 Longitude (decimal):  
Remarks: Public parking areas in rear of pier and along rear of east and west sides. The Pelee Island, Leamington & Kingsville Boat Line, provides vehicular and passenger ferry service to Pelee Island, Leamington, and Ki during the summer months.  
Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72046 Dock Code: 111 Buffalo District

---

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 7  
Name: **Erie Sand and Gravel Co., Sandusky Salt Dock.**  
Location: South shore of Sandusky Bay, foot of Shelby Street extended. Datum: LWD  
Operator: Erie Sand and Gravel Co.  
Owner: Erie Sand and Gravel Co.  
Address: 931 West Water Street. Phone: 419 626-3915  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Receipt of salt by self-unloading vessel.  
Depth Alongside (feet): - 16 | - 9 | - 8 Latitude (decimal):  
Total Berthing Space (feet): 150 | | Longitude (decimal):  
Remarks: Open storage area on pier for approximately 160,000 tons of salt. Property is enclosed by fence. □  
Year of Last Survey: 1990 Corps of Engnrs Waterway Code: 72046 Dock Code: 120 Buffalo District

---

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 6  
Name: **Erie Sand and Gravel Co., Sandusky Sand Dock.**  
Location: South shore of Sandusky Bay, east of foot of McDonough Street extended. Datum: LWD  
Operator: Erie Sand and Gravel Co.  
Owner: Erie Sand and Gravel Co.  
Address: 931 West Water Street. Phone: 419 626-3915  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Receipt of sand and gypsum rock by self-unloading vessel.  
Depth Alongside (feet): 12 - 14 | 12 - 14 | - 8 Latitude (decimal):  
Total Berthing Space (feet): 188 | 450 | Longitude (decimal):  
Remarks: Open storage area on pier for 30,000 tons of material. One 50-ton public scale is located at office in rear. Property is enclosed by fence.□  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72046 Dock Code: 105 Buffalo District

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 9  
Name: **Lower Lake Dock Co., Pier No. 3.**  
Location: South shore of Sandusky Bay, between foot of King and Olds Streets extended. Datum: LWD  
Operator: Lower Lake Dock Co.  
Owner: Norfolk and Western Railway Co., a subsidiary of Norfolk Southern Corp.  
Address: 2700 West Monroe Street. Phone: 419 627-2969  
Town: Sandusky State: OH County: Erie  
Railway Connection: Norfolk and Western Railway: Surface track serves car dumper and joins with 5 loaded-car tracks in rear, capacity 300 (100-ton) cars; kickback trestle at outer end with single track returns cars to 3 trac  
Purpose: Shipment of coal; bunkering coal-burning vessels.  
Depth Alongside (feet): 5 - 16 | 25 | 1 - 6 Latitude (decimal):  
Total Berthing Space (feet): | 3495 | Longitude (decimal):  
Remarks: Pier averages 600 feet wide. Open storage area on pier has capacity for 850,000 tons of coal.□  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72046 Dock Code: 045 Buffalo District

## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 3  
Name: **Neuman Boat Line Pier.**  
Location: South shore of Sandusky Bay, east of foot of Columbus Avenue extended. Datum: LWD  
Operator: Neuman Boat Line, Inc.  
Owner: Neuman Boat Line, Inc.  
Address: 101 East Shoreline Drive. Phone: 419 626-5557  
Town: Sandusky State: OH County: Erie  
Railway Connection: None.  
Purpose: Terminal for passengers, freight, and vehicular ferry service to Kelleys Island, Ohio.  
Depth Alongside (feet): 9 | 3 - 9 | 11 Latitude (decimal):  
Total Berthing Space (feet): 66 | 173 | 380 Longitude (decimal):  
Remarks: Small buildings on pier used as office and for storing supplies; inner portion of pier is used for parking.  
One fueling pipeline on pier is connected with a 4,000-gallon storage tank at rear.  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72046 Dock Code: 105 Buffalo District

Port: **Sandusky, OH**  
Waterway: **Sandusky Bay** Mile: PWD: 8  
Name: **Norfolk and Western Railway Co., Mooring Basin.**  
Location: South shore of Sandusky Bay, foot of King Street extended. Datum: LWD  
Operator: Not operated.  
Owner: Norfolk and Western Railway Co., a subsidiary of Norfolk Southern Corp.  
Address: 2700 West Monroe Street. Phone: 419 627-2969  
Town: Sandusky State: OH County: Erie  
Railway Connection: Norfolk and Western Railway car storage yard in rear.  
Purpose: Not used.  
Depth Alongside (feet): 12 - 15 | 21 - 22 | 12 - 15 Latitude (decimal):  
Total Berthing Space (feet): 140 | 850 | 885 Longitude (decimal):  
Remarks: Outer 800-foot portion of slip is 200 feet wide. ☐ Coal loading equipment on piers has been abandoned. ☐  
Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72046 Dock Code: 0-



## Port Series No. 42

### U.S. Ports on Lake Erie (Erie, PA; and Conneaut, Ashtabula, Fairport Harbor, Lorain, Huron, and Sandusky, OH)

Port: **Sandusky, OH**  
 Waterway: **Sandusky Bay** Mile: PWD: 2  
 Name: **Shoreline Fisheries Dock.**  
 Location: South shore of Sandusky Bay, foot of Hancock Street extended. Datum: LWD  
 Operator: Shoreline Fisheries, Inc.  
 Owner: Gale Wenner and Tony Spino.  
 Address: 235 East Shoreline Drive. Phone: 419 626-2754  
 Town: Sandusky State: OH County: Erie  
 Railway Connection: None.  
 Purpose: Receipt of fish; mooring and fueling company-owned fishing boats.  
 Depth Alongside (feet): 10 | 10 - 8 | Latitude (decimal):  
 Total Berthing Space (feet): 54 | 200 | Longitude (decimal):  
 Remarks: Building on pier used for processing, packing, and wholesale and retail sales of fish. One metered fuel pump at rear of east side is connected with a 500-gallon storage tank in rear.  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72046 Dock Code: 111 Buffalo District

---

Port: **Sandusky, OH**  
 Waterway: **Sandusky Bay** Mile: PWD: 1  
 Name: **State of Ohio Department of Natural Resources Division of Wildlife**  
 Location: South shore of Sandusky Bay, east of foot of Hancock Street extended. Datum: LWD  
 Operator: State of Ohio Department of Natural Resources, Division of Wildlife.  
 Owner: State of Ohio.  
 Address: 305 East Shoreline Drive. Phone: 419 625-8062  
 Town: Sandusky State: OH County: Erie  
 Railway Connection: None.  
 Purpose: Mooring state-owned research and patrol boats; handling supplies.  
 Depth Alongside (feet): 8 - 10 | 6 | 6 Latitude (decimal):  
 Total Berthing Space (feet): | 50 | 115 Longitude (decimal):  
 Remarks: State of Ohio fisheries management and law enforcement offices located in buildings at rear. □  
 Year of Last Survey: 1990 Corps of Engrs Waterway Code: 72046 Dock Code: 0-

---